



**Fondation
Cancer**

Info · Aide · Recherche

BLUE NOVEMBER

**Men's cancers,
let's talk about them.**





Prostate cancer in Luxembourg

Prostate cancer is the most common cancer among men in Luxembourg. It accounts for nearly one third of all cancers diagnosed in men.

- Difficulty urinating
- Frequent urge to urinate, especially at night
- Blood in the urine or semen

These symptoms may be warning signs of prostate cancer.

Prostate
cancer



**If you have any doubts,
talk to your doctor.**



Testicular cancer : rare but number 1 cancer in young men

Although rare, testicular cancer is the most common cancer among young men. In Luxembourg, it affects an average of around 20 people each year. When detected early, it has an excellent prognosis and a very high chance of cure.

- A lump or swelling in one testicle
- A change in weight or size of one testicle
- A discomfort or feeling of heaviness in the scrotum

These symptoms, which can often be detected through self-examination, may be signs of testicular cancer.

**If you have any doubts,
talk to your doctor.**

Testicular
cancer





Test your knowledge about men's cancers.

TRUE OR FALSE ?

Prostate cancer shows no symptoms in its early stages.

True. In its early stages, prostate cancer is often asymptomatic, which is why screening is important for early detection.

A PSA blood test can always detect prostate cancer.

False. (PSA (Prostate-Specific Antigen) can indicate a potential risk of prostate cancer, but it is not enough on its own to make a reliable diagnosis. High PSA levels can be caused by other conditions, and low PSA levels do not necessarily rule out cancer. Additional tests are needed alongside the PSA test to confirm any risk of cancer.

Testicular cancer mainly affects men over 50.

False. Testicular cancer mostly affects young men, between the ages of 15 and 40.